

SP-1080.2 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: William R. Bennett et al.
 Application No.: 09/804,012
 Filing Date: March 12, 2001
 For: Increased Volume Electrochemical Cell

Art Unit: 1745
 Examiner: Julian A. Mercado

Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

FAX RECEIVED

MAY 27 2003

GROUP 1700

Dear Sir:

Transmitted herewith is an Amendment in the above-identified application.

The fee has been calculated as shown below.

CLAIMS AS AMENDED					
	Col. 1		Col. 2	Col. 3	Other Than A Small Entity
	Claims Remaining After Amendment		Highest No. Previously Paid For	Present Extra	Rate Add'l Fee
Total Claims	* 28	Minus	** 28	0	x \$ \$ 0
Independent Claims	* 4	Minus	*** 6	0	x \$ \$ 0
First Presentation of Multiple Dependent Claims	\$				\$ 0
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT					\$ 0

- * If the entry in Col. 1 is less than the entry in Col. 2, write "0" in Col. 3.
- ** If the "Highest No. Previously Paid For" IN THIS SPACE is less than 20, write "20" in this space.
- *** If the "Highest No. Previously Paid For" IN THIS SPACE is less than 3, write "3" in this space.
- The "Highest No. Previously Paid For" (Total of Independent is the highest number found from the equivalent box in Col. 1 of a prior amendment or the number of claims originally filed.

1. Please charge the fee indicated above to Deposit Account No. 05-1325.
2. No additional fee is required.
3. A check in the amount of \$ _____ is attached.
4. Please charge any additional fee(s) and credit overpayment(s) during the pendency of this application to Deposit Account No. 05-1325.

A duplicate copy of this sheet is attached.

Respectfully submitted,

Russell H. Toye, Jr.
 Registration No. 43,200
 Eveready Battery Company, Inc.
 25225 Detroit Road
 P.O. Box 450777
 Westlake, Ohio 44145
 (440) 835-7343

5/27/03
 Date

OFFICIAL

SP-1080.2 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: William R. Bennett et al. Art Unit: 1745
Application No.: 09/804,012 Examiner: Julian A. Mercado
Filing Date: March 12, 2001
For: Increased Volume Electrochemical Cell

CERTIFICATE OF TRANSMISSION UNDER 37 CFR §1.8

Commissioner for Patents
P.O. Box 1450
Arlington, VA 22313-1450

FAX RECEIVED

MAY 27 2003

Dear Sir:


GROUP 1700

The following are being transmitted by facsimile to the United States Patent and Trademark Office (fax number 703-872-9310) in the above-identified application:

1. Reply to Office Action (14 pages).
2. Authorization to Charge Deposit Account (in duplicate) (2 pages).

A total of 17 pages, including this transmittal letter, is being transmitted. If there is any problem with this transmission, please contact the undersigned.

Respectfully submitted,

Date: 5/27/03

Russell H. Toye, Jr.
Registration No. 43,200
Eveready Battery Company, Inc.
25225 Detroit Road
P.O. Box 450777
Westlake, OH 44145
(440) 835-7343

SP-1080.2 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: William R. Bennett et al. Art Unit: 1745
Application No.: 09/804,012 Examiner: Julian A. Mercado
Filing Date: March 12, 2001
For: Increased Volume Electrochemical Cell

#7/2
5/28

REPLY UNDER 37 CFR §1.111

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

FAX RECEIVED
MAY 27 2003
GROUP 1700

Dear Sir:

This submission is in response to the Office action, mailed March 28, 2003, in the above-identified application. Also being filed herewith is an Authorization to Charge Deposit Account (in duplicate).

Please amend the claims in the above-identified application as shown below under Claim Amendments. This section includes the current status of all claims in the application and the text of all pending claims. The currently amended claims are marked up to show the changes made relative to the immediate prior version, using strikethrough for deleted matter and underlining for added matter.

Please amend the specification in the above-identified application as shown below under Specification Amendments. This section includes a replacement paragraph for each paragraph being amended. The replacement paragraphs are marked up to show the changes made relative to the immediate prior version, using strikethrough for deleted matter and underlining for added matter.